



Product Information Sheet

- Product:** PVA FINE KOTE RELEASE AGENT 4.5KG
- Product Code:** PVA-4.5KG
- Sizes:** 4.5KG Bottle
- Uses:** Fine Kote release agent is a water and alcohol based polyvinyl alcohol (PVA) coating comprised of solvent-resistant, film-forming materials. Once dry, the PVA film is resistant to solvents in the resin system used to make composites parts but is soluble in water. It is particularly recommended as a parting agent for separation between polyester, vinyl ester, or epoxy resins and various mould surfaces but may be used with most thermoset resins. Fine Kote PVA is not recommended for use with mould substrates or resins (e.g., phenolics) containing water or giving off water during cure or with automotive finishes. Fine Kote PVA parts easily from a mould surface and is readily dissolved from moulded parts and spray equipment with water.
- Application:** Soft brush or spray
 Best results are by spraying Fine Kote PVA in multiple passes
 Avoid cold damp conditions as it will retard drying rate
 Use an air pressure of 80 – 90PSI, 30 – 40cms from surface
 Drying time will vary (depending on temperature/air movement)
- Features:** Pre-promoted, contains filler (no messy mixing)
 Has colour change mechanism to show state of cure
 Almost zero shrinkage on cure
 Rapid cure rates
- Typical Properties:**
- | | |
|------------------|------------------------|
| Appearance | Blue/red/clear Liquid |
| Specific Gravity | 0.92 – 0.96g/cc @ 25°C |
| Drying time | Approx. 1hr @ 25°C |
- Storage:** Store in a locked secure dangerous goods area in a tightly closed container away from any heat source, ignition source and out of direct sunlight, store below 25°C.
- Stability:** When stored correctly, a storage life of 12 months is expected.

Hazards:



Flammable



Corrosive

Personal Protection:



Enquires:

HS Composites Ltd
63 Hunua Road, Papakura, Auckland 2110
+64 (09) 295 2200
sales@hscomposites.co.nz
www.hscomposites.co.nz

For further information check the full SDS for this product.

Disclaimer: The information given in this data sheet is given in good faith and is believed to be valid and accurate at the time of publication. However, no responsibility is accepted for accident or injury which may occur from omissions or from information contained in the data sheet.