



Product Information Sheet

- Product:** Surfboard Finish Resin
- Product Code:** F61744 - PL
- Sizes:** 20kg pail
- Uses:** Surfboard Finish resin is a medium reactivity, waxed Orthophthalic based unsaturated polyester resin. It has been formulated for surfboard finishing where a high gloss is required, the resin can also be pigmented and can be used in other applications such as plywood and furniture finishing. Surfboard Finishing resin is non-thixotropic, UV stabilised and pre-promoted for room temperature curing with MEKP catalyst.
- Application:** Finishing surface layer on a surfboard
Furniture finishing
- Features:** UV stabilised, minimises yellowing on exposure to sunlight
Pre-promoted
Fast gel time, positive cure in thin film
Hard glossy finish with good moisture resistance
Good clarity in cured state
Specially formulated cure system

Typical Properties:

Appearance	Hazy blue Liquid
Viscosity at 25°C	400-550cP
Gel time – 1.5% MEKP	6-9 mins
Density	1.19 g/m ³
Flash Point	31°C
Heat Deflection Temp (HDT)	65-70°C
Volume shrinkage	7-8%

Gel times are from controlled testing completed in the laboratory, there will be a variance when the product is used in uncontrolled temperature of the work shop.

- Storage:** Store in a locked secure dangerous goods area in a tightly closed container away from any heat source, ignition source and out of direct sunlight, store below 25°C. Prolonged storage may cause separation, stir before use.
- Stability:** When stored correctly, a storage life of 6 months is expected.

Hazards:



Flammable



Health Hazard



Irritant

Personal Protection:



Enquires:

HS Composites Ltd
63 Hunua Road, Papakura, Auckland 2110
+64 (09) 295 2200
sales@hscomposites.co.nz
www.hscomposites.co.nz

For further information check the full SDS for this product.

10/21

Disclaimer: The information given in this data sheet is given in good faith and is believed to be valid and accurate at the time of publication. However, no responsibility is accepted for accident or injury which may occur from omissions or from information contained in the data sheet.